

## Building Site Development

Greene County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
4: Knoke-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
6: Okoboji-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
27B: Terril-----	100	Not limited		Somewhat limited Depth to saturated zone	0.16	Somewhat limited Slope	0.01
27C: Terril-----	100	Not limited		Somewhat limited Depth to saturated zone	0.16	Somewhat limited Slope	0.86
28B: Dickman-----	95	Not limited		Not limited		Somewhat limited Slope	0.01
28C2: Dickman-----	95	Not limited		Not limited		Somewhat limited Slope	0.86
34: Estherville-----	100	Not limited		Not limited		Not limited	
34B: Estherville-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
34C2: Estherville-----	90	Not limited		Not limited		Somewhat limited Slope	0.86
34D2: Estherville-----	90	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00

Building Site Development

Greene County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
48: Knoke-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
55: Nicollet-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone	0.73	Somewhat limited Shrink-swell	0.50
62C2: Storden-----	85	Not limited		Not limited		Somewhat limited Slope	0.86
62D2: Storden-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
62E2: Storden-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
62F: Storden-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
62G: Storden-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
90: Okoboji-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
95: Harps-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Greene County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
107: Webster-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
108: Wadena-----	90	Not limited		Not limited		Not limited	
108B: Wadena-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
108C2: Wadena-----	95	Not limited		Not limited		Somewhat limited Slope	0.86
135: Coland-----	95	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
138B: Clarion-----	85	Not limited		Not limited		Somewhat limited Slope	0.01
138B2: Clarion-----	85	Not limited		Not limited		Somewhat limited Slope	0.01
138C: Clarion-----	90	Not limited		Not limited		Somewhat limited Slope	0.86
138C2: Clarion-----	85	Not limited		Not limited		Somewhat limited Slope	0.86
138D2: Clarion-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Greene County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
168G: Hayden-----	90	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
202: Cylinder-----	85	Not limited		Very limited Depth to saturated zone	0.95	Not limited	
203: Cylinder-----	90	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone	0.95	Somewhat limited Shrink-swell	0.50
236B: Lester-----	90	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell Slope	0.50 0.01
236B2: Lester-----	90	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell Slope	0.50 0.01
236C: Lester-----	90	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Slope Shrink-swell	0.86 0.50
236C2: Lester-----	90	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Slope Shrink-swell	0.86 0.50
236D: Lester-----	90	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope	0.63	Very limited Slope Shrink-swell	1.00 0.50
236D2: Lester-----	90	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope	0.63	Very limited Slope Shrink-swell	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Greene County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
236E: Lester-----	95	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
236F: Lester-----	90	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
256D2: Lester-----	60	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope	0.63	Very limited Slope Shrink-swell	1.00 0.50
Storden-----	30	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
256E2: Lester-----	55	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
Storden-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
256F: Lester-----	50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
Storden-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
256G: Lester-----	45	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
Storden-----	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
258: Biscay-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Greene County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
259: Biscay-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
307: Dundas-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
308: Wadena-----	90	Not limited		Not limited		Not limited	
308B: Wadena-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
325: Le Sueur-----	95	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Somewhat limited Shrink-swell	0.50
383: Marna-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
385: Guckeen-----	95	Very limited Shrink-swell	1.00	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.47	Very limited Shrink-swell	1.00
386: Cordova-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50

Building Site Development

Greene County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
458: Millington-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
485: Spillville-----	95	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.61 0.50	Very limited Flooding Shrink-swell	1.00 0.50
485B: Spillville-----	95	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.61 0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
506: Wacousta-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
507: Canisteo-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
508: Calcousta-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
566: Moingona-----	95	Not limited		Somewhat limited Depth to saturated zone	0.16	Not limited	
566C: Moingona-----	90	Not limited		Somewhat limited Depth to saturated zone	0.16	Somewhat limited Slope	0.12

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Greene County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
585B: Coland-----	65	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
Spillville-----	35	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.61 0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
638C2: Clarion-----	60	Not limited		Not limited		Somewhat limited Slope	0.86
Storden-----	25	Not limited		Not limited		Somewhat limited Slope	0.86
638D2: Clarion-----	50	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Storden-----	30	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
638E2: Clarion-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Storden-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
639C2: Salida-----	45	Not limited		Not limited		Somewhat limited Slope	0.86
Storden-----	35	Not limited		Not limited		Somewhat limited Slope	0.86
639D2: Salida-----	45	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Storden-----	35	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00



Building Site Development

Greene County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
655: Crippin-----	90	Not limited		Very limited Depth to saturated zone	0.95	Not limited	
658: Mayer-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
659: Mayer-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
733: Calco-----	90	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
878: Ocheyedan-----	90	Not limited		Not limited		Not limited	
878B: Ocheyedan-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
878B2: Ocheyedan-----	90	Not limited		Not limited		Not limited	
878C2: Ocheyedan-----	100	Not limited		Not limited		Somewhat limited Slope	0.86
879: Fostoria-----	95	Not limited		Very limited Depth to saturated zone	0.95	Not limited	
1048: Knoke-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II  
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Greene County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1135: Coland-----	90	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
1308: Wadena Variant-----	95	Not limited		Not limited		Not limited	
1585: Coland-----	70	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
1585B: Coland-----	70	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
2315: Fluvaquents-----	45	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Coland-----	35	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
5010: Pits-----	100	Not rated		Not rated		Not rated	
5020: Pits-----	100	Not rated		Not rated		Not rated	

Building Site Development

Greene County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5040: Orthents-----	100	Not rated		Not rated		Not rated	
5041: Udorthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	